RITRAMA

VELLUM SC FSC[™] AP904 WK85 SPL33

PRODUCT DESCRIPTION / BENEFITS	Face : Woodfree white calendered paper, with a high degree of whiteness. FSC certified.	Face Material	
	Adhesive : Acrylic permanent adhesive. Good adhesion on a wide variety of materials including apolar substrates (like PE and PP).	Adhesive Silicone	
	Liner : One side siliconised clay coated Kraft. There may be slight variations in tone.	. Liner	
PRINTING & CONVERTING	Suitable for conventional printing methods (traditional offset and litho). Testing for suitability between media, printers and inks is always recommended prior to use.		
PRODUCT RECOMMENDATIONS	General and promotional labels.		
SHELF LIFE	2 years in original closed packaging under storage conditions as defined by FINAT section 2.5 (20-25°C, 40-50% RH). Prolonged storage at higher temperatures and/or humidity levels will shorten the shelf life of the product.		

RITRAMA

VELLUM SC FSC[™] AP904 WK85 SPL33

PHYSICAL PROPERTIES / TYPICAL VALUES

FACE MATERIAL					
VELLUM SC FSC					
Grammage	70 Gr/m2	ISO 536			
Thickness	64 µm	ISO 534-80			

ADHESIVE			
AP904			
Tack (N) Glass	12 N	FTM9	
Min Labelling Temperature	0°C		
Usage Temperature	-20/+70 °C		
Peel Value	11 N/25mm	FTM2	

LINER		
WK85		
Grammage	82 Gr/m2	ISO 536
Thickness	85 µm	ISO 534-80

QUALITY CERTIFICATIONS & APPROVALS

•

FSC License code: FSC-C106281

DISCLAIMER

Information on physico-chemical characteristics and values in this document are based upon tests we believe to be reliable and do not constitute a warranty. They are intended only as a source of information and are given without guarantee and do not constitute a warranty. Purchasers should independently determine, prior to use, the suitability of this material to their specific use. All technical data are subject to change. All Fedrigoni products are sold subject to terms and conditions of sale. For more information, contact your Fedrigoni sales representative. In case of any ambiguities or differences between the English and foreign versions of this document, the English version shall be prevailing and leading.